

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	200	703/6.ccls. and @pd>="20080201"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2009/01/06 10:04

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	327	((plastic or polymer or pet or hdpe) same preform same temperature) same (profile or distribution)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2009/01/06 10:29


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Ad](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 138 for **preform pet temperature "finite element"**

Finite-element simulation of axisymmetric preforms in precision forging at elevated temperatures

AG MAMALIS, DE MANOLAKOS, AK BALDOUKAS - Journal of materials processing technology, 1996 - cat.inist.fr

... hot-working conditions) of two axisymmetric **preforms**, namely a conical shell and a bevel gear **preform**. ... process for a particular **temperature** distribution of ...

Cited by 7 - [Related articles](#) - [Web Search](#) - [All 4 versions](#)

Simulation of the stretch blow molding process of PET bottles

JP McEvoy, CG Armstrong, RJ Crawford - Advances in Polymer Technology, 1998 - doi.wiley.com

... simulation, axisymmetric shell elements (SAX1) were used to model the 16.5-g **pre-form**. ... used to model the **preforms** (Fig ... The **temperature** profile of a **preform** (Fig ...

Cited by 15 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 2 versions](#)

Experimental study and numerical simulation of the injection stretch/blow molding process

FM SCHMIDT, JF AGASSANT, M BELLET - Polymer engineering and science, 1998 - cat.inist.fr

... blow molding process of **PET** bottles is a ... of the pressure evolution, **preform** free inflation ... en marcha propiedad; Effet température; **Temperature** effect; Efecto ...

Cited by 17 - [Related articles](#) - [Web Search](#) - [BL Direct](#)

Viscoelastic simulation of PET stretch/blow molding process

FM Schmidt, JF Agassant, M Bellet, L Desoutter - Journal of Non-Newtonian Fluid Mechanics, 1996 - Elsevier

... 6] has carried out simulations of **PET** stretch/blow ... and stretch rod) and polymer, and **temperature** gradients. ... rod and the bottom of the **preform** induces localized ...

Cited by 13 - [Related articles](#) - [Web Search](#) - [All 3 versions](#)

Finite element simulation of pet stretch/blowmolding process

K Chung - Journal of Materials Shaping Technology, 1989 - Springer

... stretch/blow-molding process, an initial **pre- form**, usually called ... of the axisymmetric shapes of the **preform** and the ... the mechanical behavior of the **PET** material ...

Cited by 5 - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

Influence of microstructure evolution on mechanical strength of blown poly (ethylene terephthalate)

L Chevallier - Plastics, Rubber and Composites, 1999 - ingentaconnect.com

... CHARACTERISTICS OF BLOWN BOTTLES **Preforms** were heated using an ... Figure 12 shows a **preform** and the injected speci ... in the central region and the **PET** becomes more ...

Cited by 5 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 4 versions](#)

Thermal residual stresses in functionally graded and layered 6061 Al/SiC materials

S Ho, EJ Lavernia - Metallurgical and Materials Transactions A, 1996 - Springer

... distribution of 10, 20, and 30 vol **pet** SiC ... mostly tensile for the upper region of the **preform** and compressive for the lower region of the **pre- form**. ...

Cited by 6 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 4 versions](#)

[CITATION] STUDY OF THE SIMULTANEOUS EXTENSION AND INFLATION OF **PET** PREFORMS

Cited by 2 - Related articles - Web Search - Library Search - BL Direct

E Gorlier, JF Agassant, JM Haudin, N Billon - *Plastics, Rubber and Composites*, 2001 - ingentaconnect.com
... thicknesses representative of the **preforms** used in ... Uniaxial deformation of amorphous
PET above glass transition ... are first heated to the **temperature** of the ...

Cited by 4 - Related articles - Web Search - BL Direct - All 2 versions

DM Gao, KT Nguyen, JF Hétu, D Laroche, A Garcia- ... - Advanced Performance Materials, 1998 - Springer

... Keywords: blow molding, **finite element** modeling, Hele-Shaw ... characteristics and their **temperature** dependence among others) the **preform** dimensions (form and ...

Cited by 8 - Related articles - Web Search - Library Search - BL Direct - All 2 versions

Key authors: F Schmidt - J Agassant - M Bellet - J McEvoy - C Armstrong

Googoooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

```
preform pet temperature "finite elem
```

Google Home - About Google - About Google Scholar


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

preform pet temperature "finite element"

1970

- 2003

Search

Ad
Sc
Sc
Scholar [All articles](#) - [Recent articles](#) Results **11 - 20** of about **138** for preform pet temperature "fini

Modelling of poly (ethylene terephthalate) in injection stretch-blow moulding

 GH Menary, CG Armstrong, RJ Crawford, JP McEvoy - *Plastics, Rubber and Composites*, 2000 - ingentaconnect.com

 ... **temperature** distribution along the length of the **pre-form**, but is ... of the **preform** ending up in the sidewall as ... Four **preforms** were used for the measurements ...

 Cited by 10 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - All 4 versions

The avoidance of defects in radially extruded tubular parts by preforming

 SB PETERSEN, R BALENDRA, JMC RODRIGUES, PAF ... - *Journal of materials processing technology*, 1997 - cat.inist.fr

 ... and **preform** die design was accomplished through a comprehensive analysis using the **finite-element** method. Experiments carried out at room **temperature** in E 1 CM ...

 Cited by 3 - [Related articles](#) - [Web Search](#) - All 2 versions

Three-dimensional viscoplastic FEM simulation of a stretch blow molding process

 S Wang, A Makinouchi, T Nakagawa - *Advances in Polymer Technology*, 1998 - doi.wiley.com

 ... 2. In the first step, the **pre-form** of the ... core and the injection mold is filled with melted **PET**. ... cooling and heat adjustment process, the **preform** is enclosed ...

 Cited by 12 - [Related articles](#) - [Web Search](#) - [BL Direct](#) - All 3 versions

Finite element analysis of compressible viscoplasticity using a three-field formulation

Application ...

 M Bellet - *Computer Methods in Applied Mechanics and Engineering*, 1999 - Elsevier

 ... analysis of hot forging of cold pre-compacted **preforms**. ... forging of a connecting rod **preform** is presented ... a quadratic approximation of the **temperature** profile in ...

 Cited by 3 - [Related articles](#) - [Web Search](#) - All 4 versions

A finite-element prediction of densification kinetics during the hot isostatic pressing of metal

 AGK JINKA - *Journal of materials processing technology*, 1996 - cat.inist.fr

 ... with- and without-container cylindrical HIP **preforms**. ... during the normal HIP **temperature** and pressure ... Méthode élément fini; **Finite element** method; Método ...

 Cited by 1 - [Related articles](#) - [Web Search](#) - All 4 versions

[PDF] ► Estimation of the initial temperature profile and the heat transfer coefficient in polymer

 A Bendada, KT Nguyen - *ASME Proc. 3rd Int. Conf. on Inverse Problems in Engineering ...*, 1999 - me.ua.edu

 ... used for experimental validation is polyethylene terephthalate (**PET**). ... **temperature** evolution in the **preform** is given by ... amount $\Delta f(x)$, the **temperature** will vary ...

 Cited by 1 - [Related articles](#) - [View as HTML](#) - [Web Search](#)

[HTML] ► Intermediate Velocity Impact Response of Carbon/Epoxy Composites with Polycarbonate Facing.

 UK Vaidya, CA Ulven, MV Hosur, J Alexander, L ... - *POLYMERS AND POLYMER COMPOSITES*, 2003 - rapra.net

 ... order of a multi-layered **preform**, was negligible ... The improvement in high-**temperature** storage stability is ... Title: RHEOLOGICAL BEHAVIOUR OF PP/PET AND MODIFIED PP ...

[Cited by 1](#) - [Related articles](#) - [Cached](#) - [Web Search](#) - [BL Direct](#) - [All 4 versions](#)

A COUPLED BOUNDARY/FINITE-ELEMENT APPROACH FOR THE THREE-DIMENSIONAL SIMULATION OF AIR VENTING IN ...

RE KHAYAT, P RADUCANU - Int. J. Numer. Meth. Engng, 1998 - doi.wiley.com

... commercial production of carbonated beverage bottles made of PET. ... injection molding,

(ii) heating of the **preform** to an appropriate **temperature** distribution, ...

[Cited by 1](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 3 versions](#)

The formability of the Al- 5 & percnt; SiC composite obtained using P/M method

S SZCZEPANIK, W LEHNERT - Journal of materials processing technology, 1996 - cat.inist.fr

... was obtained by hot **preform** forming in ... and then annealing at the **temperature** 540

°C ... Fließspannung; Méthode élément fini; **Finite element** method; Método ...

[Cited by 4](#) - [Related articles](#) - [Web Search](#) - [All 2 versions](#)

Finite-element analysis and simulation of polymers: a bibliography (1976-1996)

J Mackerle - MODELLING AND SIMULATION IN MATERIALS SCIENCE AND ..., 1997 - iop.org

... injection moulding; extrusion blow moulding; **preform** for blow ... on the pressure-volume-

temperature equation 3rd ... viscous flow through fibre **preforms** J. Mater. ...

[Cited by 3](#) - [Related articles](#) - [Web Search](#) - [BL Direct](#) - [All 5 versions](#)

Key authors: **F Schmidt** - **J Agassant** - **M Bellet** - **J McEvoy** - **C Armstrong**



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)